

**To:** Albright, David[Albright.David@epa.gov]  
**From:** Dermer, Michele  
**Sent:** Wed 6/4/2014 5:45:53 PM  
**Subject:** RE: Alon

Hmm, i have had no trouble scanning these last two weeks.

---

**From:** Albright, David  
**Sent:** Wednesday, June 4, 2014 10:44 AM  
**To:** Dermer, Michele  
**Subject:** RE: Alon

Okay, I'll ask Jim to scan and forward to you (of course, apparently scanning is not quite as seamless here on Floor 2....)

**From:** Dermer, Michele  
**Sent:** Wednesday, June 04, 2014 10:40 AM  
**To:** Albright, David  
**Subject:** RE: Alon

Hi David,

## Ex. 5 - Deliberative Process

---

**From:** Albright, David

**Sent:** Wednesday, June 4, 2014 10:29 AM  
**To:** Dermer, Michele  
**Subject:** Alon

Hi Michele,

I received a response from Alon. It is thin – about 15 pages. Maps of well locations, and outdated information about the exemption status. I could have Jim scan and send to you if that would be useful. Thanks, David

\*\*\*\*\*

David Albright, Manager  
Ground Water Office

USEPA, Region IX	Phone: 415.972.3971
75 Hawthorne Street	Fax: 415.947.3549
Mail Code: WTR-9	Email: <a href="mailto:albright.david@epa.gov">albright.david@epa.gov</a>
San Francisco, CA 94105	

\*\*\*\*\*